

Safety data sheet



in accordance with the Danish Ministry of Employment Executive Order No. 559 and Commission Directive 91/155/EEC, 93/112/EC and 2001/58/EC

1. Identification of substances/preparation and company.

Danogips A/S

Kløvermarksvej 4 – 6

DK-9500 Hobro

Tel +45 9657 3000

Danopor

PR-no:

CAS no:

ChemiSafe no:	D46-01
Licensno.:	1167
Created by:	KN
Created, date:	23.03.05
Corrected by:	TSP
Corrected, date:	24.06.05
Emergency tel.no:	+45 96573097

Application: Isolation.

2. Composition/Information on ingredients.

EINECS no: 226-046-0 Fiber glass: Concentration > 90%. Xi;R38 Irritating to skin

Read in pt.16 the text of the risk phrases

3. Hazards Identification.

Xi



Local-
irritating

R38 Irritating to skin

S2-36/37 Keep out of reach of children. Wear suitable protective clothing and gloves.

4. First aid measures.

Eye contact: Irrigate with plenty of water. Seek medical advice if irritation persists.

Inhalation: Remove person to fresh air.

Ingestion: Wash mouth out and drink plenty of water.

Skin contact: Rinse skin with running water. Avoid automatic rubbing / scratching.

Please note: Should any symptoms persist obtain medical assistance.

5. Fire fighting measures.

The product is not inflammable. At temperatures above 250°C the binder is charring. The product of combustion is carbon dioxide, carbon monoxid, water and gasses.

6. Accidental release measures.

None particularly.

7. Handling and storage.

Handling.

Avoid skin- and eyecontact and inhalation of dust. Wash hands after working with the product.

Storage.

Store in dry conditions in closed packing.

8. Exposure controls/personal protection.

If dust formation can not be controlled wear a suitable respirator.

Wear safety goggles and gloves while working with the product.
Free access to running water and eyewashbottle.

9. Physical and chemical properties.

Appearance: Solid.
Colour: Yellow.
Meltingpoint: App. 600°C.
Density: 10-150 kg/m³.

10. Stability and reactivity.

None particularly.

11. Toxilogical information.

Eye contact: Short term irritation. No known long term effects.
Inhalation: Fibres can cause irritation to nose and respiratory system.
Ingestion: Irritation to mouth and throat.
Skin contact: Rough fibres can cause itching and skin eruption.
Long term effects: No known.

12. Ecological information.

No risk of environmental effects for installed products. Product is reusable.

13. Disposal considerations.

Can be disposed at an authorised landfill site in accordance with local or national regulations.

14. Transport information.

Not classified as hazardous for transport.

15. Regulatory information.

All who works with the product shall be informed of this safety data sheet.

16. Other information.

This product should be used as directed by Danogips.

R38 Irritating to skin

Products cut in length, formed as rolls and plates are not marked.

For further information consult the technical department.
